Declaration

I, Pankaj Kumar, hereby, declare that the Project work entitled "Car rental" submitted to L.N.M.I Patna in partial fulfillment of the requirement for the award of the degree of B.C.A is a record of the original project work done by me during the period of January 2020 to February 2020 in Digital Computer Center. This project report has not been submitted to any other University/Institute for the award of other degree.

> Pankaj Kumar ROLL NO : 17602 BCA(2017-2020)

CONTENTS

.....

ACKNOWLEDGEMENT
INTRODUCTION OF PROJECT
OBJECTIVE OF PROJECT
TOOLS AND PLATFORMS
PROJECT PLANNING
SYSTEM ANALYSIS
SYSTEM DESIGN
PROGRAMMING, PROCEDURE AND SCREENSHOTS
TESTING AND IMPLEMENTATION
MAINTENANCE
LIMITATION
FUTURE SCOPE OF PROJECT
CONCLUSION
BIBLOGRAPHY

Car rental

ACKNOWLEDGEMENT

I would like to express my gratitude to my advisor MR. Vijay Kumar(Assistant Professor) for his guidance, support and his continuous enthusiasm and encouragement throughout the project. I am also very grateful and extend my sincere thanks to the principals and staff members of the department of BCA at L.N Mishra Institute of Economic Development & Social Changes I for their cooperation by sharing the load that I was teaching to make me have time to work on this project and throughout my study.

Finally many thanks to friends, who have helped and given me suggestions, supports and corrections throughout the project.

INTRODUCTION

This project is designed so as to be used by Car Rental Company specializing in renting cars to customers. It is an online system through which customers can view available cars, register and book car.

We developed this project to book a car on rent at the fare charges. In present system all booking work done manually and it takes very hard work to maintain the information of booking and cars. if you want to find which vehicle is available for booking then it take a lot of time. It only makes the process more difficult and hard. This aim of the project is to automate the work performed in the car rental management system like records of cab, cabs available for booking, rental charges for cars, store records of the customer.

This is a car booking software that provides a complete solution to all your day-to-day car booking office running needs. This system helps you to keep the information of customer online. You can check your customer information any time by using this system. Online car rental management system is a unique and innovative product. Based on this information you can take decision regarding your business development

Car rental

OBJECTIVE & SCOPE

The main objective of this project is to computerize the manual system & reduce the time consumption.

➔ To produce a web-based system that allow customer to register and reserve car online and for the company to effectively manage their car rental business.

 \rightarrow To ease customer's task whenever they need to rent a car.

In other words we can say that our project has the following objectives:-

- Make all the system computerize
- Reduce time consumption
- Reduce error scope
- > To minimize efforts of customers
- Centralized database management
- Easy operations for operator of the system
- No paper work requirement

Scope

This project traverses a lot of areas ranging from business concept to computing field, and required to perform several researches to be able to achieve the project objectives. The area covers include:

- Car rental industry: This includes study on how the car rental business is being done, process involved and opportunity that exist for improvement.
- PHP Technology used for the development of the application
- PHP Technology used for the development of the application.
- General customers as well as the company's staff will be able to use the system effectively.
- Web-platform means that the system will be available for access 24/7 except when there is a temporary server issue

Car rental

which is expected to be minimal.

TOOLS/PLATFORM USED

This project is developed using the tools, which are most suited for development of the Website.

These tools are as follows: -

- > HTML,CSS,JAVASCRIPT,CDN'S (For front end)
- > PHP,MYSQL (For Database Storage as Back end)
- > XAMPP(application to check on local host)

FRONT END-PHP

PHP is a server side scripting language that is used to develop Static websites or Dynamic websites or Web applications. PHP stands for Hypertext Preprocessor, that earlier stood for Personal Home Pages. PHP scripts can only be interpreted on a server that has PHP installed. The client computers accessing the PHP scripts require a web browser only.

Features of PHP

- PHP is open source and free.
- Short learning curve compared to other languages such as JSP, ASP etc.
- Large community document
- Most web hosting servers support PHP by default unlike other languages such as ASP that need IIS. This makes PHP a cost effective choice.
- PHP is regular updated to keep abreast with the latest technology trends.
- Other benefit that you get with PHP is that it's a server side scripting language; this means you only need to install it on the server and client computers requesting for resources from the server do not need to have PHP installed; only a web browser would be enough.

Car rental

- PHP has in built support for working hand in hand with MySQL; this doesn't mean you can't use PHP with other database management systems. You can still use PHP with
 - Oracle
 - ODBC etc.
- PHP is cross platform; this means you can deploy your application on a number of different operating systems such as windows, Linux, Mac OS etc.

BACK END-MYSQL SERVER

MySQL the most popular Open Source SQL database management system is developed distributed and supported by Oracle Corporation.

If that is what you are looking for ,should give it a try .MySQL Server can run comfortably on a desktop or laptop ,alongside your other applications ,web server ,and so on ,requiring little or no attention .If you dedicate an entire machine to MySQL ,you can adjust the settings to take advantage of all the memory ,CPU power ,and I/O capacity available .MySQL can also scale up to clusters of machines ,networked together.

Although under constant development MySQL Server today offers a rich and useful set of functions .Its connectivity speed and security make MySQL Server highly suited for accessing databases on the internet.

Features of SQL

Tested with a broad range of different compilers.

Works on many different platforms.

Designed to be fully multi-threaded using kernel threads to easily use multiple CPUs if they are available.

Provides transactional and non-transactional storage engines.

Uses very fast B- tree disk tables (My ISAM) with index compression.

Designed to make it relatively easy to add other storage engines this is useful if you want to provide an SQL interface for an in-house database.

Uses a very thread-based memory allocation system.

Executes very fast joins using an optimized nested-loop join.

Implements in-memory hash tables which are used as temporary tables.

Implements SQL functions using a highly optimized class library that should be as fast as possible usually there is no memory allocation at all query initialization.

ABOUT SOLUTION

How Car Rental Services Work

A car rental is a vehicle that can be used temporarily for a period of time with a fee. Renting a car assists people to get around even when they do not have access to their own personal vehicle or don't own a vehicle at all. The individual who want to rent a car must first contact the car rental company for the desire vehicle. This can be done online. At this point, this person has to supply some information such as; dates of rental, and type of car. After these details are worked out, the individual renting the car must present a valid Identification Card.

Most companies throughout the industry make a profit based of the type of cars that are rented. The rental cars are categorized into economy, compact, compact premium, premium and luxury. And customers are free to choose any car of their choice based on their purse and availability of such car at the time of reservation.

Benefits of Online Car Rental Services

- > This online car rental solution is fully functional and flexible.
- It is very easy to use.
- This online car rental system helps in back office administration by streamlining and standardizing the procedures.
- It saves a lot of time, money and labour.
- Eco-friendly: The monitoring of the vehicle activity and the overall business becomes easy and includes the least of paper work.

Car rental

- > The software acts as an office that is open 24/7.
- It increases the efficiency of the management at offering quality services to the customers.
- It provides custom features development and support with the software.

<u>3.SYSTEM ANALYSIS</u>

It is the process of collecting and interpreting facts, identifying the problems and decomposition of a system into its components.

System analysis is conducted for the purpose of studying a system or its parts in order to identify its objectives. It is a problem solving technique that improves the system and ensures that all the components of the system work efficiently to accomplish their purpose.

3.1 Existing System

An existing system can provide manually paper work or excel sheet to track the booking and registered vehicles details.

The user has to go in the office where the user can get the car on rent and book their car. Most of the time user does not get a sight of the car in which he is planning to travel. Which results in compromising the travel comfort.

In the existing system, you cannot provide feedback of the user to the admin directly. The user gets fluctuation every time he/she travels problem.

3.2Proposed System

The manual system of is to be computerized in order to overcome the problems, which affect the existing manual system. Computerizing the existing system with the help of some programming language database package ease the work of the system up to a great extent.

This Car Rental System project will enable the user to rent a vehicle. The user shall login to the system and check for availability of cars. The Car Rental System shall check for the availability of the car and rent the car to the customer. The tool is designed using php. All the data regarding the rental cars are stored in MySQL database. The user has to enter his name, address,

phone details and check for the cars available for rent. The main advantage is that the user shall be able to choose a car depending on his budget.

Module Description

The most creative and challenging phase of the system development is system design. It provides the understanding and procedural details necessary for implementing the system recommended in the feasibility study. Design goes through the logical and physical stages of development.

The System have 2 modules.

- Administration
 - User Management

1.Administration

Admin is basically super user. Admin can add a car, manage booking cars, and rent and view feedback and enquiry. Admin will keep track of each booking. Manage organization representatives.

Modules are

Add Car: The Admin can add the car so that the user can see the available cars and book the car.

Manage Rent: The Admin can manage the rent so that theuser can see the rent and book the car.

View Feedback: The admin easily view the feedbacks and solve the query

Approve Request: The admin can approve the rent request from the customer.

View Enquiry: The admin can easily view the enquiry and can solve.

Return: The admin can confirm the return of rented cars.

Issue: The admin can confirm the issues details of car.

Billing: The admin can manage the sales bill and payment.

Car rental

View customer: The admin can view the customer information.

2. User Management

The user is end user of our service. User can view information of available car, booking a car, easily get the car on rent, and also give feedback and can enquiry. User also views the discount and other information to get best deals.

Modules are

User Registration: The user can register and login."

Booking Car: The user can view Available cars and user can book for that car.....

Edit Profile: The user can edit their Personal Information.

My Booking: The user can view the Booking status.

Give Feedback: The customer will give the feedback to the admin.

3.3 Feasibility Study

A feasibility study is undertaken to determine the possibility or probability of either improving the existing system or developing a completely new system.it helps to obtain an overview of the problem and to get rough assessment of whether feasible solution exists. This is essential to avoid committing large resources to a project and

Need for Feasibility Study

The feasibility study is need to

- Answer the question whether a new system is to be installed or not?
- > Determine the potential of the existing system.
- > Improve the existing system.
- > Know what should be embedded in the new system.
- > Define the problems and objective involved in a system.
- Avoid costly repairs at later stage when the system is implemented.
- Avoid crash implemented of a new system.

3.3.1 Economic feasibility

Economic feasibility looks at the financial aspects of the project. Economic feasibility concerns with the return from the investment in a project. It determine whether it is worthwhile to invest the money in the proposed system. It is not worthwhile spending a lot of money on a project for no return. To carry out an Economic feasibility for a system, it is necessary to place actual money value against any purchases or activities needed to implement the project.

The "Online Car Rental Management System" plans to acquire the necessary hardware and software requires for the system and there is no hindrance whether economical otherwise towards its purchase.

3.3.2 Technical Feasibility

Technical Feasibility determines whether the work for the project be done with the present equipment, current procedure, existing software's technology.

Technical Feasibility determines whether the technology needed for the proposed system is available and how it can be integrated within the "Online car Rental Management System" and Technical evaluation must also assess whether the existing system can be upgraded to use the new technology and whether the "Online Car Rental Management System" has the expertise to use it. The technical feasibility in the proposed system deals with the technology used in the system. It deals with the hardware and software used in the system whether they are of latest technology or not. It happens that after a system is prepared a new technology arises and the user want the system based on that technology. Thus it is important to check the system to be technically feasible.

3.3.3 Social feasibility

Social feasibility covers two aspects. One is the technical performance aspects and other is the acceptance within the "Online Car Rental Management System" Social feasibility determines how the proposed system will fit in the current operations and what ,if any job restructuring and retraining may be needed to implement the system.

In the system social feasibility checks, whether the user who is going to use the system is able to work with the software's with the system is coded and also the mind of the user going to use the system If the user does not understand or is able to work on the system further development is waste.

<u>4. REQUIREMENT ANALYSIS</u>

Requirement analysis task is a process of discovery, refinement, modeling and specification both the developers and customer take an activity role in requirement analysis can be divided into:

4.1 problem recognition

4.2 problem evaluation & synthesis

4.3 modeling

4.1 PROBLEM RECOGNITION

The goal of this step is recognition of basic problem elements as indicated by customer. The basic purpose of this activity is to obtain a thorough understanding of the needs of client and user, what exactly is desired from the software is the constraints on the solution.

Problem of the existing system:

- Time consuming
- Security problem
- Difficulty in updating and retrieval

(a) 4.2 PROBLEM EVALUATION AND SYNTHESIS

In this step analyst must define all externally observable object, evaluate flow and control of step of the information, define and elaborate all software functions, understand software behavior and design constrains etc. Evaluation and synthesis continuous until both analysis and customer field confident about the project. Once the problem identified, evaluation process begin. After the evaluation of the current problem and desired information, the analyst synthesis one or more solution.

- Security can be assured
- Cost effectiveness
- No change of error

4.3 MODELING

••••••••••••••••••••••••••

During a software requirement analysis, we create models to gain better understand of actual logical entity (function and sub function) to be built.

The following set of models in requirement analysis.

- The model helps analyst to understanding information, function and behavior of the system.
- Model becomes main reference for the review to determine completeness, consistency and accuracy of the specification.
- The model becomes foundation for design.
- The main method for the analysis is DFD (Data Flow Diagram).

SYSTEM SPECIFICATION

HARDWARE REQUIREMENTS

СРИ Туре	:	pentium dual or above
----------	---	-----------------------

- RAM : 1 GB or above
- Display Type : VGA
- Hard Disk Drive : 20 GB or greater
- Printer : Any Printer Supported by the OS

SOFTWARE REQUIREMENTS


Operating System : WINDOWS 7 or higher

Front End : PHP, HTML

Back End : MYSQL

USE CASE DIAGRAM

Possible use cases are mentioned in below diagram which will illustrate the scope of solution which we intend to develop.




ENTITY RELATIONSHIP DIAGRAM

An entity relationship model, also called an entity-relationship (ER) diagram, is a graphical representation of entities and their relationships to


each other, typically used in computing in regard to the organization of data within database or information systems.

The entity relationship modelling helps database developers overcome potential design challenges and conflicting goals. There are three basic elements in an ER Diagram: entity, attribute, relationship. There are more elements which are based on the main elements. They are weak entity, multi valued attribute, derived attribute, weak relationship, and recursive relationship. Cardinality and ordinality are two other notations used in ER diagrams to further define relationships.

Symbols used in the E-R diagram:-



Car rental



DATA FLOW DIAGRAM

A data-flow diagram is a way of representing a flow of a data of a process or a system. The DFD also provides information about the outputs and inputs of each entity and the process itself. A data-flow diagram has no control flow; there are no decision rules and no loops.


It is significant modelling technique for analysing and constructing information process. DFD literally means an illustration that explains the course or movement of information in a process. DFD illustrates this flow of information in a process based on the inputs and outputs. A DFD can be referred to as a Process Model

CONTEXT LEVEL DIAGRAM (LEVEL 0)

Acontext level DFD provides an at-a-glance look at an information system and the ways it exchanges data with outside entities.


They are often used for high-level planning. We can use this context'level DFD template to create our own.

Context level DFD



LEVEL 1 DFD

A level 1 DFD notates each of the main sub processes that together form the complete system. We can think of a level 1 DFD as an "exploded view" of the context diagram. A level 2 DFD offers a more detailed look at the processes that make up an information system than a level 1 DFD does. It breaks down the main processes into sub processes that can then be analysed and improved on a more intimate level. It aims to show how the entire system works at a glance.



SYSTEM DESIGN

System design is a process of developing specification for candidate system that meet the criteria established in the system analysis. Major step in design are the preparation of the input forms output reports in a form application to the user.

The main objective of the system design is to use the package easily by any computer operation. System design is the creative act of invention, developing new inputs, a database, offline files, method procedure and output for processing business to meet an organization objective. System design builds information gathered during the system analysis.

Car rental

6.1 DATA DESIGN

Data design creates a model of data or information that is represented at a higher level of abstraction. The structure of data has always been an important part of software design. The software design activities translate this requirement model into data structure at software component level. Data design required to manage the large volume of information. In this system, normalization process, the redundant field will be eliminated finally produce the efficient table.

6.2 ARCHITECTURAL DESIGN

Architectural design is a comprehensive framework that describes its form...... and how they fit together. The properties of component interact with other components. Architectural design focuses on the representation of structure of the software.

6.3 PROCEDURAL DESIGN

Procedural design or component level design occurs after data, architectural and interface design must be translate into operational software. The procedural design for each component, represented in graphical, tabular or text based notation, is primary work product produced during component level design

6.4 INTERFACE DESIGN

Interface design creates and effective communication medium between a human and computer, Design identifies objects and action then creates a screen layout that forms the basis for user interface.

Interface design focus on:

- 1. The design of interfaced between software components and non-human producers and consumer of information.
- 2. The design of interface between software components.
- 3. The design of interface between a human and computer

localhost / localhost / carrent:	× +
-) → ሮ ŵ	(i) localhost/phpmyadmin/index.ohp1db=carrental&token=b4f17e5d8d72f4ddb0d50f8865b6f243
phphigAdmin	Ŋ localhost ► @ carrental
	Structure @ SQL > Search @Query @Export @Import %Operations @Privileges %Drop
Database	Table Action Records 1 Type Collation Size Overhead
rrental (10)	🗋 admin 📲 😰 🚰 🕅 X 2 InnoDB latin1_swedish_ci 16.0 K1B -
A STREET NO.	tblbooking
rental (10)	tblbrands 🖺 🖆 🎧 🧚 📅 X 7 InnoDB latin1_swedish_ci 16.0 K13 -
X	tblcontactusinfo
idmin bibooking	🔲 tblcontactusquery 🖺 😭 🔯 🤰 🛱 🗶 1 InnoDB latin1_swedish_ci 16.0 K18 –
obrands	🗋 tblpages 📳 😭 🔛 3² 🕅 X . 4 MylSAM latin1_swedish_ci 10.0 B13 -
bicontactusin fo bicontactusquery	🗌 tblsubscribers 🖺 🛱 🖾 🛠 2 InnoDB latin1_swedish_ci 16.0 X13 -
bløges bløubscribers	🗌 thtestimonial 📲 🛱 🖫 🤾 🛅 🗙 🥵 3 InnoDB latin1_swedish_ci 🛛 16.0 K13
blestimonial blusers	🗌 tblusers 📲 🖺 🚰 📅 X 🔹 7 InnoDB latin1_swedish_ci 16.0 K13 –
olvehicles	🗌 tblvehicles 📲 🖆 🖫 🦗 🎬 🗙 2 InnoDB latin1_swedish_ci 16.0 K13
	Sum
	With Selected.
	🍃 Frint view 弱 Data Dictionary
	ر الله المعني
	Name: Number of fields:
localhost / localhost / carrent	 × + ⑦ ① localhost/phonwadhuminidech@idb=carrental&idxen=b4f17e5d8d72f4ddb0d5f#8£65b8f243 ♡
- C û	⑦ (i) localhost/phomwadmining devoltplidb=carrental&token=tv4f17e5d8u72f4dds0d50f66665b8f248
phpMyAdmin	⑦ ① localhost/phomyadmenindes.ptplidb=carrentalStoken=b417e5d8d72f4dds0d50f6565b8f243
- C û	⑦ ① localhost/phomwsdmuminidedlip.idb=carrentalStoken=tidf17e5d8dr2f4ddb0d55t65E65b8f243
— С ф phpMyAzmin	⑦ ① localhost/phonwsdmininingdedigitizt=carrentalStoken=twf17e5d8dr2f4ddo0d5566565b5f243
с ф php^{1/1}1/Admin A D QQ	O ① localhost/phomwadminner/des.btg/idb=carrentalStocken=b417e5d8d72f4ddx0d50f65665b8f243 ♥ S3 localhost > @ carrental > @ admin
C බ php Mg Admin බලා ල Database rental (10)	⑦ ① localhost/phonwsdminini/deudict/idb=carrentalSitexen=td/17e5d8dr2f4ddb0dc56#8565b8f243 ♥ ③ localhost) @ carrental) @ admin ♥ ③ Browse ⑤ Structure ♥ ● field Type Collation Attributes Null Default Extra □ id int(11) No None AUTO_INCREMENT □ UserName varchar(100) latin1_swedish_ci No None □ Password varchar(100) latin1_swedish_ci No None None
C D phpMyAdmin Database ental (10)	⑦ ① localhost/phonwsdmuminidedlip.idbicdremitalSitexenitetdf17e5d8dr2f4ddb0dd50f85£5b8f243 ▽ ③ localhost / @ carrental / @ admin ♡ ♡ ③ localhost / @ carrental / @ admin ♡ ♡ ♡ ③ Istructure SQL Search % Insert Export Default Extra □ Id int(11) No None AUTO_INCREMENT □ UserName varchar(100) latin1_swedish_ci No None □ updationDate timestamp No 0000-00-00 ON UPDATE CURRENT_TIMESTAM
C D php3/3/25/113/0 Database rental (10) xental (10)	⑦ ① localhost (phomy-dminingle_dig) (bb=carrentalStoken=b4117e5d8d72f4ddb0d50f6565b5f243) ♡ ⑨ localhost (bb (carrental (carrental (bb (carrental (
C D php 3/3 Admin Database rental (10) x admm obcoting	⑦ ① localhost phone-de_origidbe-carrentalStoken=td417e5d8d72f4dd00d50f65f5b8f243 ♥ ⑨ localhost) @ carrental) @ admin ♥ ■ Browse @ Structure
C D phpMJ/JASmJA Database rental (10) ental (10) dmm abcoking abcoking abcoking abcoking	⑦ ① localhost (phomy-dminingle_dig) (bb=carrentalStoken=b4117e5d8d72f4ddb0d50f6565b5f243) ♡ ⑨ localhost (bb (carrental (carrental (bb (carrental (
C D phpMJASmin Database rental (10) rental (10) xdmm obcoting bbornids bbcmtacluspice bbcmtacluspice bbornis	⑦ ① localhost phone-schedig isbecarrentalStoken=th417e5d8d72f4dds0d50f65f5b672f3 ♥ ⑨ localhost) @ carrental) @ admin ♥ ■ Browse Structure
C D phpMUASMIN Database rental (10) cental (10) x dmm abcoting bbrands bbrands bbrands bbrands bbrands bbcuttscluser(c bbcuttscluser(c) bbcut	⑦ ① localhost phone-de-of-picture carrentalSite centent/17e5d8d72f4dd000d50f65f65b672f43 ♥ ⑨ localhost) @ carrental) @ admin ♥ ■ Browse @ Structure
C D phpMUAdmin Database ental (10) dmm brands br	⑦ ① localhost phones down in device Districtive metalSitesementalSites
C D phpMyAdmin Database ental (10) dmm baconiacusion fo haconiacuso fo haconiacuso fo haconiacuso fo haconiacuso fo haconiacuso for haconiacuso for	⑦ ① localhost phone-de-of-picture carrentalSite centent/17e5d8d72f4dd000d50f65f65b672f43 ♥ ⑨ localhost) @ carrental) @ admin ♥ ■ Browse @ Structure
C D phpMUAdmin Database rental (10) ental (10) x dmm bicoting bicrotic dusp fe bicrotic dusp re bicrotic dusp	⑦ ① localhost phones de one de did interactive de la constance
C D phpMJAdmin Database rental (10) ental (10) dmm abcoling	⑦ ① localhost phones down in device Districtive metalSitesementalSites
C D phpMJAdmin Database rental (10) ental (10) dmm abcoling	⑦ 0
C D phpMUAIMIA Database ental (10) mm booking booki	⑦ ① localhost phones de oficio carrental Stoken = bd 1765d8d72f4dd000050f8565b5f243 ♥ ③ localhost) @ carrental) @ admin ♥ Browse ⑤ Structure ③ SQL / Search ≩linsen ⑥ Export ⑧ Impon ※ Operations ⑧ Empty ※ Orop Field Type Collation Attributes Null Default Extra id int(11) No None AUTO_INCREMENT □ UserName varchar(100) latin1_swedish_ci No None □ updationDate timestamp ♥ update CURRENT_TIMESTAMP No 0000-00 00 00 00 00 00 NUPDATE CURRENT_TIMESTAM ↓ Check All / Uncheck All With selected ⑥ / X ⑧ ⑧ ⑧ ② Point new ④ Relation new ④ Propose table structure ⑧ ② Action Keyname Type Unique Packed Field Cardinality Collation Null Comment / × PRIMARY BIREE Yes No id 2
C D phpMyAdmin Database ental (10) dmm baconiacusion fo haconiacuso fo haconiacuso fo haconiacuso fo haconiacuso fo haconiacuso for haconiacuso for	⑦ 0 0 0 localhost phonys drive operative lobe carrental Stockers bdf1765d8d72f4dd00d50r66665b80243 ♥ ③ localhost > @ carrental > @ admin ■ Browse Structure SQL > Search *insert BExport Import Qoperations Permits XDrop Field Type Collation Attributes Null Default Extra □ id int(11) No No Rone AUTO_INCREMENT □ UserName varchar(100) latin1_swedish_ci No No None □ updationDate timestamp or uptate CURRENT_INFESTAM No 00000-00.00 ON UPDATE CURRENT_INFESTAM ↓ Plastword varchar(100) latin1_swedish_ci No No ne □ updationDate timestamp or uptate CURRENT_INFESTAM No 00000-00.00 ON UPDATE CURRENT_INFESTAM ↓ Plant wew @ Relation wew @ Propose table structure @ > > > © ↓ Plant wew @ Relation wew @ Propose table structure @ > > © © ↓ Add 1 field(s) @ At End of Table O At Begrinning of Table O At error A A

A localhost / localhost / carrenta.	0 (i) localhost (shamvadmin/ordex pho/dh-carront) Priston - h (1) ZoSeRet 75844460455499655599743
Contraction of the state of the	
phpMyAdmin GEQQ	Localhost) @ carrental) @ tblcontactusinfo Browse Structure ROL Search Scinsert Export Import Coperations Empty Coperations Field Type Collation Attributes Null Default Extra
Database carrental (10)	Id int(11) No None AUTO_INCREMENT Im
arrental (10) X	Emailld varchar(255) latin1_swedish_ci Yes NULL ContactNo char(11) latin1_swedish_ci Yes NULL ContactNo char(11) latin1_swedish_ci Yes NULL Check All / Uncheck All With selected X II II II III X III III X III III X III III
bibooking bibooking biboontactusinto bicontactusquery biboontactusquery biboontactusquery	Solution view B Propose table structure ② Solution At End of Table ○ At Beginning of Table ○ After Id ○ Go
tblsubscribers tblestmonal	Indexes: ତ
tiblusers tiblivehicles	Action Keyname Type Unique Packed Field Cardinality Collation Null Comment
	Create an index on 1 columns Go
	+ Details
< Cû	 × + O (b) localhostephemyadmun index prove beiter entakätekene u411 leppäe / In4edoDeptite2668:85143 ♥
↔ ილი ლანარერი ილილი	 × + O ⊙ localhostechemysdmin index provide ar entaisticken = u411 ieso Schüt4cdcDcschödesse81.45 W ♥ B coalhost + @ carrental + @ tblcontactusquery
e ≥ e û php <i>klyAdmin</i> a⊡QQ	× + ○ Iocalhostronomysomeninde provide serienteletickenetieftillesosic/LitedopDcscholdesteletieftilles
← ேம் Php ஃபூகினிக இன்று Database arrental (10)	 × + O (i) localhostrohomysomeninde of procestarienteläticken=u411/esobol/in4cdcDostrodessed145 ♥ Ø localhost > @ carrental > @ tblcontactusquery
← Cû php Ma Admin Database arrental (10) x admin tibboelang	× → ○ iocalhostronomysomeninde provide serie entersticken et d11 lesoisc/lit4cdoDcs/to265565145 ♥ ③ localhost > G: carrental > :::::::::::::::::::::::::::::::::::
C D C D C D Database arrental (10) x tobrands tobrands tobrands	× ● ● localhostronomysonaninde processes entestickenetidal esocializadocostrocesses ···· ♥ Browse Structure <u>is Coll_Aseach_iselnsent Expont Field Type Collation Attributes Null Default Extra Actio id int(11) No None AUTO_INCREMENT <u>is X X X X </u></u>
C C C C C C C	× Image: Solution of the entropy o
C D C D C D C D C D C D C D C D	× ↓ ○ i> localhostichemysonen new enterset
C Q php:///www.seconder.com/php://www.seconder.com/php://www.seconder.com/php://www.seconder.com/philiple.com/ph	× ↓ ○ localhost/ohemysdmininceintercoresterienta/decenerciatilesobe/indececs/tedesobe/indececsobe/indececsobe/indececsobe/indececsobe/indececsobe/indececsobe/indececsobe/indececsobe/indececsobe/indececsobe/indececsobe/inde
php.೫2ූරිජාත්ත බාලා [] [] Database	×

and the second data in the second data and the	Incalhost/bhomyadmev/index.php?dbs.carrentel&token.sb4f17e568d72f4dtb0id56f8865b8f243							
phpHyAdmin	😝 localhost > 🚯 carrental > 📋 thicontactusinio							
Database	Browse Structure R SOL A Search ≩insert SExport Bimport KOperations TEmpty KOrop Field Type Collation Attributes Null Default Extra Action							
carrental (10)	Id int(11) No None AUTO_INCREME/IT III → X III III Address tim/text latin1 swedish ci Yes MIII IIII IIII IIII							
carrental (10)	Emailld varchar(255) latin1_swedish_ci Yes NULL							
S admin	Contactive char(11) Istin 1_swedish_ci Yes NULL III / X II III / X II III / X II III / X III III							
 thopoting thornads thicontactusin to thicontactusanto 	Print wew w [®] Relation view @ Propose table structure @ ≩ Add 1 field(s) ● Al End of Table ○ At Beginning of Table ○ Atter Id Go							
E thipages E thisubscribers E thisstmonul	Indexes: @							
E thusens thivehicles	Action Keyname Type Unique Packed Field Cardinality Collation Null Comment							
	PRIMARY BTREE YFE							
	Create an index on 1 columns Go							
	1 Detaile							
	+ Details							
• • • • • • • • • • • • • • • • • • •								
•								
↓ localhost/localhost/carren ← C ŵ								
	 ➤							
←	 ★ + Ø (i) localhostrohomyadmin/index profilobe carrente 2 to ker e odti Zešočid (24 odt 2d50%2665) 81(-4); By localhost + (b) carrental + (m) tolcontactusquery; 							
0 ℃ → nimestykiqtq QQAR	× + © ⊙ localhostrotiomysdmin, index proficios carrents ≧tic er so4ti TeSc2d 7,54adt 0d5050265567,45 §J localhost + ⊚ carrental + tblcontactusquery ☐Browse ௴ Structure ♂SOL / Search Selnsert ௺Export ™Import ☆Operations ™Empty ★Drop Field Type Collation Attributes Null Default Extre A							
C ک مانمانی کرزارتر جرام Database	× + ♥ ● localhost rotionry administration proclementa data en and trackod data da 50% 2665 MB1.45 ♥ localhost rotionry administrative proclementa data en and trackod data da 50% 2665 MB1.45 ♥ localhost rotionry administrative proclementa data en and trackod data da 50% 2665 MB1.45 ♥ localhost rotionry administrative proclementa data en and trackod data da 50% 2665 MB1.45 ♥ localhost rotionry administrative proclementa data en and trackod data da 50% 2665 MB1.45 ♥ localhost rotionry administrative proclementa data en and trackod data da 50% 2665 MB1.45 ♥ localhost rotionry administrative proclementa data en and trackod data data data data data data data da							
0 ℃ → nimestykiqtq QQAR	× + © ⊙ Iocalhostrotomyadmininger projects carrenta & correcta &							
C ک مانمانی کرزارتر جرام Database	× + ○ ⊙ Iocalhost rohomy adminingers professionentalities and rohosoft (14 adt.) ads 5050653187143 SJ localhost + is carrental + Image:							
 C ف C ف Database Carrental (10) 	× + ○ Iocalhostronomysdmmmmdes.pro/descarrentalitic releaded 1044adt 0x50500065160143 SJ localhost + Discritic transmission of the search 3elected 1044adt 0x50500065160143 Browse Structure Field Type Collation Attributes Null Default Extre A Id int(11) No None AUTO_INCREMENT Emailid varchar(100) latin1_swedish_ci Yes NULL							
C ف C ف Database Carrental (10) Carrental (10) X	× + © Iocalhostichismysdmmmenses profoossamentalistic ersedtiliesdedtilisdet.costredesbert.d.s © Iocalhostichismysdmmmenses profoossamentalistic ersedtiliesdedtilisdet.costredesbert.d.s © Iocalhost + © carrental + © tblcontactusquery Browse © Structure Field Type Collation Attributes Null Default Extre A I name varchar(100) latin1_swedish_ci Yes NULL							
C ن بالترجيم Database Carrental (10) carrental (10) carrental (10) carrental (10) carrental (10)	× + © Iocalhostiphismysdmmmerses profoosesamentalistic as additionations field of Costractes inditions istructure istructure istructure istructure </td							
C C D Database Carrental (10) Cerrental (10) Cerrental (10) X Database	× + © i) localhostronomysdm mindde profoosedmental duce and the social Velactions metry and the social Velactions metry and the social Velactions metry and the social velacities of the social velaciti							
Cerrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental (10)	× + © Iocalhostiphismysdmmmerses profoosesamentalistic as additionations field of Costractes inditions istructure istructure istructure istructure </td							
C C D Database Carrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental Suscervy Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts	× + © i) localhostronomysdm mindde profoosedmental duce and the social Velactions metry and the social Velactions metry and the social Velactions metry and the social velacities of the social velaciti							
C C D Database Carrental (10) Carrental (10	× + © Iocalhost hom your mindow profoces and the south feeded it feede							
C C D Database Carrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental Suscervy Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts	X X							
C C D Database Carrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental (10) Cerrental Suscervy Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts Etbioscripts								

< → C û	(D) localhost/phpmyadmin/index.php?db=carrental&token=b4f17e5d8d72f4ddb0d50f8865b8f243
phpillyAdmin	localhost > Carrental > D tolpages
	Browse Structure SQL Search Filment Export Monort & Operations Empty & Drop
Database	
errental (10)	PageName varchar(255) latin1_swedish_ci Yes NULL
irrental (10)	□ type varchar(255) latin1_swedish_ci No □ ✓ × 🖬 🖸 🕅
	Chant All (In 1 swedish_ci No None I 2 × 10 D 3 17
dmin bibooking	Check All / Uncheck All With selected: 🔝 🥒 X 🕅 🔟 🔞 📅
Ibbrands Ibicontactuum fo Ibicontactusquery Ibicoges	⇒ Print view 50 Propose table structure ① 3 Add 1 feld(s) At End of Table At Beginning of Table Atter Id
tolestmonial	Indexes: @
blusers tolvehicles	Action Keyname Type Unique Packed Field Cardinality Collation Null Comment X PRIMARY BTREE Yes No id 4 A
	Create an index on 1 columns Go
	+ Details .
	* Uetails
	* Uetails
	* Uetails
, localhost / localhost / carrent	
u localhost / localhost / carrer 1 ← C û	
	 × + ▼ ① localhost phpmysdmin index.php lob = carrentalStrexens.od/1 ?es d&a? indeb0d50*85e5baf243 ···· ▼
← CO php別JAdmin	 ★ + O (i) localhost phpmysdmin, index.php.lobi=cerventalStrevens.odf1?es.ob/o7.indocb/dd50r85e5bs/243 W Jocalhost > @ corrental > @ tblsubscribers
← °C°0 php³³1)Admin ABDD	× + © ① localhost phpmysdmin.index.pho?db=carrenta/Strexens.odf1?esd6a? W localhost > @ carrental > @ thisubscribers ③Browse ⑤ Structure ③ Structure @ SQL Field Type Collation Attributes Null Default Extra
Ca php?#JAdmin Amp. Database	× + ♥ ● Iocalhost phpmysdmin, index.pho?db=carrentalStokensodH?eso6d?cr4dcb0d50r866506f243 ···· ♥ Stationary (Constraint) > Browse Structure Stationary (Sole) Field Type Collation No None AUTO_INCREMENT
C D physical sectors Database errental (10)	× + © ① localhost phpmysdminindes.pho?db=carrentalStrevens.odf1?esd6o?.middcbds30*886500f243
CO physical states Database arrental (10)	× + © () Iocalhost phpmysdmin, index.pho?db=carrentalStocens.odf1?esd6d7.or4dcb0d50?8965b9f243 © () Iocalhost > @ carrental > @ tblsubscribers Browse Structure Field Type Collation Attributes Id int(11) No None AUTO_INCREMENT > PostingDate timestamp Yes CURRENT_TIMESTAMP
CO physical Callon Database arrental (10) arrental (10)	× + © () localhost phpmysdminim desipholide=cerrenta/Stokensiold1/2esd6a7cm/docbds0r28665baf243
CO php Ann Database arrental (10) arrental (10)	× + © () localhost phpmysdmin, index.pho?db=carrenta/Stokens.odfl?esdbd?cn4dcb0d50r8865bdf243
CO php:///Action Database arrental (10) arrental (10) admin attoung tbonng tbonng tbonng tbonng tbonng tbonng tbonng	× + O ① localhost phpmysdmin.index.pho?db=carrentalStokens.odf1?esdbd?.csddcb0d50*89e5bdf243 ···· ♥ Structure
C D phpilitadianin Database arrental (10) arrental (10) arrental (10) arrental (10) biointactusnio biointactusnio biointactusnio biointactusnio biointactusnio biointactusnio biointactusnio	× + © () localhost phpmysdmin, index.pho?db=carrenta/Stokens.odfl?esdbd?cn4dcb0d50r8865bdf243
C Q php Advanta Database Database arrental (10) advant atomn atomn bitonatcusnio bitonatcusnio bitonatcusnio bitonatcusnio bitonatcusnio bitonatcusnio bitonatcusnio bitonatcusnio bitonatcusnio bitonatcusnio bitonatcusnio bitonatcusnio bitonatcusnio bitonatcusnio	× + © ③ localhost phpmysdmin.index.php.3db=carrentalStorens.odf1?essba?cn4dcb0d53r88e5ba5t43 ⊙ Store > Store Structure Store Browse Structure Store Field Type Collation Attributes Null Default Extra Activ SubscriberEmail varchar(120) Id int(11) None AUTO_INCREMENT PostingDate timestamp Yes CURRENT_TIMESTAMP Check All / Uncheck All With selected ✓ Print_new © Relation view Print_new © Relation view Indexes: @ Action Action Keyname Type Unique Packed Field Collation Null Compose table Attend (Excerning) Go Action
C D phpilitadinin phpilitadinin Database Database carrental (10) arrental (10) ddmi bioniscusnio bioniscu	× + © ③ localhost phpmysdmin in dev.pho?db=carrental@texens.odf??es663?cr4dcrbdd50r88es563f243 ♥ Ø ③ localhost phpmysdmin in dev.pho?db=carrental@texens.odf??es663?cr4dcrbdd50r88es563f243 ♥ W localhost > @ carrental > @ thisubscribers ♥ Browse ⑤ Structure ③ SQL Search ≩cinsert ⑥ Export ⑧Import ② Operations ⑧ Empty ③ Drop ♥ Field Type Collation Attributes Null Default Extra Activ I id int(11) No None AUTO_INCREMENT ⑧ ② X ⑧ ♥ ♥ SubscriberEmail varchar(120) latin1_swedish_ci Yes CURRENT_TIMESTAMP ♥ ♥ PostingDate timestamp Yes VURL ♥ ♥ ♥ Check All / Uncheck All With selected ? X ⑧ ♥ ♥ ♥ ♥ Pont aev ③ Relation vev Propose table structure ⑨ ♥ € € €
C D phpilitadinin phpilitadinin Database Database carrental (10) arrental (10) ddmi tboning t	× + ○ Iocalhost phpmysdmin, index.pho?db=carrental@toxens.odfl?esded?cn4dcb0dd30r8be5bs423 ···· · · · · · · · · · · · · · · · · ·
Database Carabase Carabase Carrental (10)	× + © ③ localhost phpmysdmin.index.php.3db=carrentalStorens.odf1?essba?cn4dcb0d53r88e5ba5t43 ⊙ Store > Store Structure Store Browse Structure Store Field Type Collation Attributes Null Default Extra Activ SubscriberEmail varchar(120) Id int(11) None AUTO_INCREMENT PostingDate timestamp Yes CURRENT_TIMESTAMP Check All / Uncheck All With selected ✓ Print_new © Relation view Print_new © Relation view Indexes: @ Action Action Keyname Type Unique Packed Field Collation Null Compose table Attend (Excerning) Go Action

← → C @	O (i) localhost phomyadm	nn/indez.ohp?db=carrental%token=	b4117e5d8d7214ddb0d	5012845001213				_
phplAgAdmin	localhost D carrental						•••	
1								
adqq	Field Type				7 Dre	P		
Database	id int(11)	Collation Attributes, Nu No		Extra		1.30	Actio	n 🖂
carrental (10)		latin1_swedish_ci No		AUTO_INCREM	-		X 🖬	-
arrental (10)		latm1_swedish_ci No		the standard the			XR	0.1
The second second second second	PostingDate timestamp	No		MD V Charles		-	X	
X 📑 admin	status int(11)	Yes	······································			0.10.10	XM	u
E tobooking	Check All / Uncheck All W	- · · ·				1	X 🛛	10
# thicontactuain to								
thoses	Se Add 1 field(s) At End of	Propose table structure		-1				
blestimonial	incluis) () AL LING B	Table O Al Beginning of Table O A	After id V Go					
C tolusers	Indexes: @		•					
	Action Keyname Type	and the second second						
	, see the second	Unique Packed Field Cardinali		omment				
	PRIMARY BTREE	Yes No id 3	A					
	Create an index on 1 column	IS GO		1				
	+ Details							
								_
iocalhost / localhost / carrer:	× +2818	the constant of the second second	Street of the state of the state of the	Motology & press and days of				
Localhost / localhost / carrent	Provide and the second second				No. 1990 Martine de	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	L al la	7
	Provide and the second second	Town (19. 1997) (19. 19. Mining on Data Care and Sucker -	s417e3cdr724rdenbd5	Stiller Subt243	n an	E. S	(
	Provide and the second second	mini ndex phb latte carrental Sucker	53 ¹¹⁷ e ^s odo 724 ambai	2f62f 5601243	n de la sed Monte de	8 4 C	··· (। ज
a 9 → nimb&ykiqna	© ⓒ localhost promedy ge localhost ► & carrental ► g	mn/ndexphblaticorrentalSciencer-			Steve P	2.25	(9
CC Mab&yKara QQ≣©	ତ () localhost priped: 당 localhost > 당 carrental > [편Browse G Structure	ाति तन्द्र cholate carrence Subser न छ tblvehicles SOL ्रि Search दिशाsert छिंदिxp	port 👔 Import 🛠 Ope	erations BEmpty		2.00		9 9
← C ŵ Angle Ang Angle Angle An	© ⊡ localhost pripriged © ⊡ localhost pripriged © localhost > © carrental > (© Browse © Structure _ @ S Field □ id	™n notex photon to carrence Subsection B tblvehicles SQLD Search _ ≩€Insert _ ∭Exp	port 👔 Import 🛠 Ope	erations BEmpty	a	- - 2 ×	Action	
C û C û Admin Admin Database	© ⊡ localhost prismped: © ⊡ localhost prismped: © Browse © Structure _ @ s Field □ id □ VehiclesTitle	ついての Succession Succession 回 tolive hicles SOL のSearch 子にInsert 間Exp 「Type Collation Attr	oort 👔 Import 🕺 Ope ributes Null 🛛	erations BEmpty	a		Action	0
C û C û Admin Admin Database	© ⊡ localhost prismped © ⊡ localhost prismped © Browse © Structure _ @ s Field □ id □ VehiclesTitle □ VehiclesBrand	The Search Sector Secto	oort ∰Import &Ope ributes Null D No None	erations BEmpty	ra III	- / x	Action	
C လ Admin کی کی کی Database Carrental (10	 ⑦ ① localhost promped ☑ localhost > ② carrental > ③ ☑ Browse ☑ Structure 37 s Field id VehiclesTitle VehiclesBrand VehiclesOverview 	The Search Sector Secto	port ∭ilmport & Ope ributes Null No None Yes NULL	erations BEmpty		, × , ×	Action	ס
← C ŵ php Mij Admin Database carrental (10) E adma	 ⑦ ① localhost promped ☑ localhost > ③ carrental > ④ ☑ Browse ③ Structure ④ Eield id VehiclesTitle VehiclesBrand VehiclesOverview PricePerDay 	The sector of	oort ∰Import %COpe ributes Null C No None Yes NULL Yes NULL	erations BEmpty		- - - × - × - ×	Action	<u>ם</u> ק
← C ŵ Php DigAdmin Database Carrental (10) admn bibbooking bibbooking bibbooking bibbooking bibbooking bibbooking	♥ ● localhost processing ♥ ● Iocalhost > (a) ● ● Structure (a) ● id • • ● VehiclesTitle • • ● VehiclesDoverview • • ● PricePerDay • • ● FuelType • •	Differences Contract Contract Succession ■ tolvehicles SOL Search ≩dinsert [[] Exp Type Collation Attr Int(11) varchar(150) latin1_swedish_ci Int(11) longtext latin1_swedish_ci	bort <mark>∭Import %2Ope</mark> iibutes Null E Na None Yes NULL Yes NULL Yes NULL	erations BEmpty		- - - - - - - - - - - - - - - - - - -	Action 51 5 51 5 51 5 51 5 51 5 51 5 51 5 51	ם ס ס
C C D	♥ Iocalhost property ♥ Iocalhost > () Carrental > () ♥ Structure ● Field id VehiclesTitle VehiclesBrand VehiclesOverview PricePerDay FuelType ModelYear ModelYear	tolvehicles Sol	oort <mark>∭Import %20pe</mark> ributes Null (No None Yes NULL Yes NULL Yes NULL Yes NULL	erations BEmpty			Action Ci Ci Ci Ci Ci Ci Ci Ci Ci Ci	ם ם ם ם
C C D	♥ Iocalhost pt project ♥ Iocalhost + (b) carrental + (c) ♥ Field id Field VehiclesTitle VehiclesBrand VehiclesOverview PricePerDay FuelType ModelYear SeatingCapacity	the shear strength street stree	oort Milmport & Ope ributes Null C No None Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL	erations BEmpty			Action 51 5 51 5 51 5 51 5 51 5 51 5 51 5 51	व व व व व व व व व व व व व व व व व व व
C D	O O	tolvehicles Sol	oort Mill C No None Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL	erations BEmpty		- - - - - - - - - - - - - - - - - - -	Action Ci Ci Ci Ci Ci Ci Ci Ci Ci Ci Ci Ci	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
C C Php DigAcimin Database Carrental (10) admn bibosking bibonas	 id VehiclesTrite VehiclesTrite VehiclesTrite VehiclesOverview PricePerDay FuelType ModelYear SeatingCapacity Vimage1 Vimage2 	the shear strength street stree	oort <mark>∭Import %Ope</mark> ributes Null C No None Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL	erations BEmpty			Action Gi Ci Ci Ci	
C C C Php Dig Admin Database Carrental (10) admin Etboards E	 idecalhost promode idecalhost international in the content of the cont	tolvehicles SoL 2 Search ≩insert T Exp Type Collation Attr int(11) varchar(150) latin1_swedish_ci int(11) longlext latin1_swedish_ci int(11) varchar(100) latin1_swedish_ci int(11) varchar(120) latin1_swedish_ci varchar(120) latin1_swedish_ci varchar(120) latin1_swedish_ci varchar(120) latin1_swedish_ci	Port <mark>∭Import %Ope</mark> ributes Null C No None Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL	erations BEmpty		- >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	Action Ci C	
C C C Php Dig Admin Database Carrental (10) admin Etboards E	 Iocalhost promode Iocalhost > (a carrental > (a carrental > (b carrental > (c carrenta) > (c carrental > (c carrent	tolvehicles SoL	oort Binport Copy ributes Null E No None Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL Yes NULL	erations BEmpty			Action	d d d d d d d d d
C C C Php Dig Admin Database Carrental (10) admin Etboards E	 Iocalhost promode Iocalhost + (a) carrental + (a) Browse (b) Structure (a) Field id VehiclesTitle VehiclesBrand VehiclesOverview PricePerDay FuelType ModelYear SeatingCapacity Vimage1 Vimage3 Vimage4 Vimage5 	Iblvehicles SoL Search ≩insert ∭Exp Type Collation Attr int(11) varchar(150) latin1_swedish_ci int(11) longtext latin1_swedish_ci int(11) varchar(100) latin1_swedish_ci int(6) int(11) varchar(120) latin1_swedish_ci varchar(120) latin1_swedish	oort Binport SQOpe ribules Null No None Yes NULL	erations BEmpty			Action	
C C C Php Dig Admin Database Carrental (10) admin Etboards E	 Iocalhost promodel Iocalhost + (a) carrental + (b) Carrental + (c) Carrental + (c) Field id VehiclesTitle VehiclesBrand VehiclesOverview PricePerDay FuelType ModelYear SeatingCapacity Vimage1 Vimage3 Vimage5 AirConditioner 	tblvehicles SoLSearch	oort Binport Coperitation None None Yes NULL	erations BEmpty			Action Constant Const	
C C C Php Dig Admin Database Carrental (10) admin Etboards E	 Incalhost prompede Incalhost prompede Incalhost prompede Incalhost prompede Ind Vehicles Title Vehicles Brand Vehicles Brand Vehicles Overview Price PerDay Fuel Type Model Year Seating Capacity Vimage1 Vimage3 Vimage4 Vimage5 	Iblvehicles SoL Search ≩insert ∭Exp Type Collation Attr int(11) varchar(150) latin1_swedish_ci int(11) longtext latin1_swedish_ci int(11) varchar(100) latin1_swedish_ci int(6) int(11) varchar(120) latin1_swedish_ci varchar(120) latin1_swedish	iibutes Null © None Yes Null © Yes Null Yes Null	erations BEmpty				3 1 1 1 1 1 1 1 1 1 1
C C C Php Dig Admin Database Carrental (10) admin Etboards E	 Iocalhost promodel Iocalhost promodel Carrental > (Construction of the second of the se	tblvehicles SoL Search ≩insert ∭Exp Type Collation Attr int(11) varchar(150) latin1_swedish_ci int(11) longlext latin1_swedish_ci int(11) varchar(100) latin1_swedish_ci int(6) int(1) varchar(120) latin1_swedish_ci varchar(120) latin1_swedish_	Import Second iibutes Null Display No None Null Yes NULL	erations BEmpty				
C C C Php Dig Admin Database Carrental (10) Carrental (10)	 Iocalhost promodel Iocalhost promodel Carrental > (Construction of the second of the se	Italian servenia Succession Italian servenia Succession Italian servenia Succession Statistic Structure	Import ② Ope Nuil D Nuil D Yes NULL	erations BEmpty				

	Disalbast A Discount of the state	
phpElijAdmin	😫 localhost > 🕼 carrental > 🔟 tolusers	
	Browse Structure SQL / Search Binsert Export Import & Operations Frmpty & Drop	
Database	Field Type Collation Attributes Null Default Attributes Extra Collation	Action
arrental (10)	Ld int(11) No None AUTO_INCREMENT 🗊 🧷 >	
	FullName varchar(120) latin1_swedish_ci	
mental (10)	Emailid varchar(100) latin1_swedish_ci Yes NULL	
X	Password varchar(100) latin1_swedish_ci Yes NULL	
admin	ContactNo char(11) latin1_swedish_ci Yes NULL	
tblbrands	🗌 dob varchar(100) latin1_swedish_ci Yes NULL 🗊 🧷 🗡	
tblcontectusin fo	Address varchar(255) latin1_swedish_ci .Yes NULL	
thipages	City varchar(100) latin1_swedish_ci Yes NULL	
thtestmonial	Country varchar(100) latin1_swedish_ci Yes · NULL	67 1
	RegDate timestamp Yes CURRENT_TIMESTAMP	3.02.1
	UpdationDate timestamp No 0000-00-00 00:00	172 (
	📜 Check All / Uncheck All With selected 📳 🍠 🗙 🌆 🔟 📆	
tblpages tblsubscribers tbles(monis)	City varchar(100) latin1_swedish_ci Yes NULL Image: Country Country varchar(100) latin1_swedish_ci Yes NULL Image: Country RegDate timestamp Yes CURRENT_TIMESTAMP Image: Country UpdationDate timestamp No 0000-00-00 00:00 Image: Country	

 Action
 Keyname
 Type
 Unique
 Packed
 Field
 Cardinality
 Collation
 Null
 Comment

 ♪
 ×
 PRIMARY
 BTREE
 Yes
 No
 rd
 7
 A

CODING

```
<?php
session_start();
include('includes/config.php');
error_reporting(0);
?>
<!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>Car Rental Portal</title>
<!--Bootstrap -->
<link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
```

Car rental

Page 27

.